Contents

Number 1, January 1988

Papers

001 The relationship between inhibition of vitamin K_1 2,3-epoxide reductase and reduction of clotting factor activity with warfarin: *I. A. Choonara, R. G. Malia, B. P. Haynes, C. R. Hay, S. Cholerton, A. M. Breckenridge, F. E. Preston & B. K. Park*

009 Disposition of fosinopril sodium in healthy subjects: *S. M. Singhvi, K. L. Duchin, R. A. Morrison, D. A. Willard, D. W. Everett & May Frantz*

017 Pharmacokinetic and pharmacodynamic properties of intravenous fenoldopam, a dopamine$_1$-receptor agonist, in hypertensive patients: *R. R. Weber, C. E. McCoy, J. A. Ziemniak, D. E. Frederickson, L. I. Goldberg & M. B. Murphy*

023 The *in vitro* 5-lipoxygenase and cyclo-oxygenase inhibitor L-652,343 does not inhibit 5-lipoxygenase *in vivo* in human skin: *R. M. Barr, A. Kobza Black, P. M. Dowd, O. Koro, K. Mistry, J. L. Isaacs & M. W. Greaves*

027 Evaluation of the antimuscarinic activity of atropine, terfenadine and mequitazine in healthy volunteers: *N. Brion, D. Beaumont & C. Advenier*

033 Milk transfer of phenoxymethylpenicillin during puerperal mastitis: *I. Matheson, M. Samseth, R. Løberg, A. Fægri & A. Prentice*

041 Saturation of the tubular excretion of β-lactam antibiotics: *J. W. Bins & H. Mattie*

051 The effect of probenecid on the renal tubular excretion of benzylpenicillin: *D. Overbosch, C. Van Gulpen, J. Hermans & H. Mattie*

059 Effect of sodium valproate on carbamazepine disposition and psychomotor profile in man: *G. J. A. Macphee, J. R. Mitchell, L. Wiseman, A. R. McLellan, B. K. Park, G. T. McInnes & M. J. Brodie*

067 Psychotropic effects of repeated doses of enalapril, propranolol and atenolol in normal subjects: *G. Frcka & M. Lader*

075 Mephenytoin hydroxylation in the Cuna Amerindians of Panama: *T. Inaba, L. F. Jorge & T. D. Arias*

081 *N*-acetylation phenotyping with dapsone in a mainland Chinese population: *Y. Horai, H-H. Zhou, L. Zhang & T. Ishizaki*

Proceedings

089 Proceedings of the British Pharmacological Society (University of Oxford, 9–11 September 1987)

Number 2, February 1988

Papers

157 The contribution of histamine release to bronchoconstriction provoked by inhaled benzalkonium chloride in asthma: *K. A. Miszkiel, R. Beasley, P. Rafferty & S. T. Holgate*

165 The effect of age and cardiac failure on xamoterol pharmacokinetics: *A. K. Scott, J. Webster, J. C. Petrie & W. Bastain*

169 Exercise haemodynamics and maximal exercise capacity during β-adrenoceptor blockade in normotensive and hypertensive subjects: *M. A. Van Baak, F. M. M. Koene & F. T. J. Verstappen*

179 The influence of β-adrenoceptor blockers with and without intrinsic sympathomimetic activity on heart rate, arrhythmias and ST-T segments, using ambulatory electrocardiography: *R. J. Northcote & D. Ballantyne*

187 Acute inotropic effects of intravenous nifedipine and its vehicle compared with saline: a double-blind study of systolic time intervals in normal subjects: *T. J. Walley, A. M. Heagerty, K. L. Woods, R. F. Bing, J. E. F. Pohl & D. B. Barnett*

195 The effect of carbidopa and indomethacin on the renal response to γ-L-glutamyl-L-dopa in normal man: *R. F. Jeffrey, T. M. MacDonald, K. Marwick & M. R. Lee*

203 (+)-sulpiride antagonises the renal effects of γ-L-glutamul-L-dopa in man: *T. M. MacDonald, R. F. Jeffrey, S. Freestone & M. R. Lee*

213 Concentration-time profiles of ethanol and acetaldehyde in human volunteers treated with the alcohol-sensitizing drug, calcium carbimide: *A. W. Jones, J. Neiman & M. Hillbom*

223 Intravenous enoxacin for the treatment of acute pyelonephritis: pharmacokinetics and clinical study: *R. B. Bailey, R. J. Walker, K. L. Lynn, I. McG. Donaldson, B. A. Peddie & B. R. Dobbs*

229 Effects of resins and activated charcoal on the absorption of digoxin, carbamazepine and frusemide: *P. J. Neuvonen, K. Kovistö & E. L. Hirvisalo*

235 Pulmonary disposition of pethidine in post-operative patients: *M. P. Persson, P. Hartvig, L. Wiklund & L. Paalzow*

243 Lack of effect of nitrendipine on the pharmacokinetics and pharmacodynamics of midazolam during steady state: *J. Handel, G. Ziegler, A. Gemeinhardt, H. Stuber, C. Fischer & U. Klotz*

251 Inhibition of the enzyme, GABA-aminotransferase in human platelets by vigabatrin, a potential antiepileptic drug: *Elizabeth Rimmer, G. Kongola & A. Richens*

Short reports

261 Relative bioavailability of the hydrochloride, sulphate and ethyl carbonate salts of quinine: *Ailene Jamaludin, Musa Mohamad, V. Navaratnam, K. Selliah, S. C. Tan, W. H. Wernsdorfer & K. H. Yuen*

264 The pharmacokinetics of oral and intravenous nalbuphine in healthy volunteers: *A. R. Aitkenhead, E. S. Lin & K. J. Achola*

269 Absorption of 5-aminosalicylic acid from colon and rectum: *S. Bondesen, J. Brønnumschou, V. Pedersen, Z. Rafiolsadat, S. Honoré Hansen & E. F. Hvidberg*

273 Comparison of neurokinin A and substance P on cardiovascular and airway function in man: *T. W. Evans, C. M. Dixon, B. Clarke, T-B. Conradson & P. J. Barnes*

276 Lack of relationship between debrisoquine oxidation phenotype and the pharmacokinetics and first dose effect of prazosin: *M. S. Lennard, J. C. McGourty & J. H. Silas*

Letters to the Editors

279 Biliary excretion of antipyrine and its metabolites after cholecystectomy: *H. Mönig, J. Wilhelmy, S. John & E. E. Ohnhaus*

Number 3, March 1988

281 **An appreciation**

Review

283 Adverse reactions to the non-drug constituents of nebuliser solutions: *R. Beasley, P. Rafferty & S. T. Holgate*

Papers

289 The effect of ageing on the disposition of nifedipine and atenolol: *M. Scott, C. M. Castleden, H. K. Adam, R. P. Smith & T. J. Fitzsimons*

297 Age-related changes in the pharmacokinetics and pharmacodynamics of nifedipine: *D. R. C. Robertson, D. G. Waller, A. G. Renwick & C. F. George*

307 Lisinopril and nifedipine: No acute interaction in normotensives: *K. R. Lees & J. L. Reid*

315 The effect of acute and chronic captopril therapy on baroreflex function in man: *G. B. Kondowe, A. H. Deering, J. G. Riddell, G. D. Johnston & D. W. G. Harron*

323 Pimobendane (UD-CG 115 BS) in the treatment of severe congestive heart failure. An acute haemodynamic cross-over and double-blind study with two different doses: *M. Walter, I. Liebens, H. Goethals, M. Renard, A. Dresse & R. Bernard*

331 Effect of digoxin on the heart in normal subjects: influence of isometric exercise and autonomic blockade: A noninvasive study: *J. Partanen, J. Heikkila, T. Pellinen & M. S. Nieminen*

341 Time course of the effects of epoprostenol on effective pulmonary blood flow in normal volunteers: *A. Bush, C. M. Busst, A. Millar & N. Syrett*

349 The effect of combined therapy on the pharmacokinetics and pharmacodynamics of verapamil and propranolol in patients with angina pectoris: *J. C. McCourty, J. H. Silas, G. T. Tucker & M. S. Lennard*

359 Influence of renal insufficiency on the pharmacokinetics of cicletanine and its effects on the urinary excretion of electrolytes and prostanoids: *N. Ferry, J. Geoffroy, N. Pozet, G. Cuisinaud, D. Benzoni, P. Y. Zech & J. Sassard*

367 Continuous intragastric delivery of fenoldopam: relationship between plasma concentration and effects on renal function: *J. A. Ziemniak, V. K. Boppana, M. J. Cyronak, T. R. Beck, R. G. Familiar, J. W. Dubb, N. L. Allison & R. M. Stote*

375 Steady-state pharmacokinetics of lithium carbonate in healthy subjects: *R. Hunter*

381 A survey of the prevalence of penicillir-specific IgG, IgM and IgE antibodies detected by ELISA and defined by hapten inhibition, in patients with suspected penicillin allergy and in healthy volunteers: *G. Christie, J. W. Coleman, S. Newby, A. McDiarmaid-Gordon, J. P. Hampson, A. M. Breckenridge & B. K. Park*

387 Pharmaceutical innovation by the seven UK-owned pharmaceutical companies (1964–1985): *R. A. Prentis, Y. Lis & S. R. Walker*

Short report

397 Selective inhibitory effects of nifedipine and verapamil on oxidative metabolism: effects on theophylline: *R. A. Robson, J. O. Miners & D. J. Birkett*

Letters to the Editors

401 Erythromycin enhances the absorption of cyclosporin: *S. K. Gupta, A. Bakran, R. W. G. Johnson & M. Rowland*

402 Cyclosporin-verapamil interaction: *R. A. Robson, M. Fraenkel, L. J. Barratt & D. J. Birkett*

404 Post-marketing surveillance: *R. H. Robson*

Number 4, April 1988

Papers

405 Absence of excess peripheral muscle fatigue during β-adrenoceptor blockade: *R. G. Cooper, M. J. Stokes, R. H. T. Edwards & R. D. Stark*

417 Effect of acute and chronic oral administration of alfuzosin on baroreflex function and tremor in man: *A. H. Deering, J. G. Riddell, D. W. G. Harron & R. G. Shanks*

425 Atenolol–nifedipine combinations compared with atenolol alone in hypertension: efficacy and tolerability: *D. Maclean, E. T. Mitchell, R. R. Coulson, T. J. Fitzsimons & D. G. McDevitt*

433 Effects of the β_2-adrenoceptor antagonist ICI 118,551 on blood pressure in hypertensive patients known to respond to β_1-adrenoceptor antagonists: *O. J. Robb, J. Webster, J. C. Petrie, J. D. Harry & J. Young*

439 *In vitro* immunological degranulation of human basophils is modulated by Lung histamine and Apis mellifica: *B. Poitevin, E. Davenas & J. Benveniste*

445 Effectiveness and tolerability of CV-3988, a selective PAF antagonist, after intravenous administration to man: *J. Arnout, Anne Van Hecken, Inge De Lepeleire, Y. Miyamoto, I. Holmes, P. De Schepper & J. Vermylen*

453 The influence of aprotinin on regional absorption of soluble human insulin: *D. R. Owens, J. P. Vora, J. Birtwell, S. Luzio & T. M. Hayes*

457 Pharmacokinetics of midazolam and α-hydroxymidazolam following rectal and intravenous administration: *T. G. Clausen, J. Wolff, P. B. Hansen, F. Larsen, S. N. Rasmussen, J. S. Dixon & C. Crevoisier*

465 The immunocytochemical localisation and distribution of cytochrome P-450 in normal human hepatic and extrahepatic tissues with a monoclonal antibody to human cytochrome P-450: *G. I. Murray, T. S. Barnes, H. F. Sewell, S. W. B. Ewen, W. T. Melvin & M. D. Burke*

477 Pharmacokinetics of chloroquine in Thais: Plasma and red-cell concentrations following an intravenous infusion to healthy subjects and patients with *Plasmodium vivax* malaria: *G. Edwards, S. Looareesuwan, Angela J. Davies, Y. Wattanagoon, R. E. Phillips & D. A. Warrell*

487 *N*-Acetylation polymorphism of dapsone in a Japanese population: *Y. Horai & T. Ishizaki*

495 Prediction of drug concentrations in human skim milk from plasma protein binding and acid-base characteristics: *H. C. Atkinson & E. J. Begg*

Short reports

505 Enantioselectivity of 4-hydroxylation in extensive and poor metabolizers of debrisoquine: *M. Eichelbaum, L. Bertilsson, A. Küpfer, E. Steiner & C. O. Meese*

509 The influence of haematocrit on blood cyclosporin measurements *in vivo*: *A. Johnston, J. T. Marsden & D. W. Holt*

514 Cimetidine does not increase α_1-acid glycoprotein serum concentrations: *R. C. Parish, V. P. Gotz & J. L. Mehta*

518 The effect of metoclopramide on the absorption of oral controlled release morphine: *A. R. Manara, M. P. Shelly, K. Quinn & G. R. Park*

Letters to the Editors

523 Once nightly sustained release theophylline in elderly subjects: *A. Rodgers, K. W. Woodhouse & D. N. Bateman*

524 Once nightly sustained release theophylline in elderly subjects—a reply: *G. Steffensen & S. Pedersen*

525 Counter-regulatory effects of combined ACE inhibition and calcium antagonism: *R. Donnelly, H. L. Elliott & P. A. Meredith*

526 Counter-regulatory effects of combined ACE-inhibition and calcium antagonism: *M. Bellett & J. Ménard*

Number 5, May 1988

Papers

527 Evaluation of Committee on Safety of Medicines yellow card reports on oral contraceptive-drug interactions with anticonvulsants and antibiotics: *D. J. Back, S. F. M. Grimmer, M. L'E. Orme, C. Proudlove, R. D. Mann & A. M. Breckenridge*

533 Lisinopril: Dose-peak effect relationship in essential hypertension: *V. J. Cirillo, H. J. Gomez, J. Salonen, R. Salonen, V. Rissanen, J. A. Bolognese, R. Nyberg & K. Kristianson*

539 Concentration-effect relationships for oxprenolol in patients with essential hypertension: *G. T. McInnes & M. J. Brodie*

547 Diuretic and natriuretic effects of nifedipine in healthy persons: *J. F. M. Wetzels, P. G. Wiltink, A. J. Hoitsma, F. Th. M. Huysmans & R. A. P. Koene*

555 Comparison of the effects of dopamine, dobutamine, and dopexamine upon renal blood flow: a study in normal healthy volunteers: *S. Mousdale, P. A. Clyburn, A. M. Mackie, N. D. Groves & M. Rosen*

561 Respiratory and cardiovascular effects in relation to plasma levels of midazolam and diazepam: *M. Sunzel, L. Paalzow, L. Berggren & I. Eriksson*

571 Salbutamol induced hypokalaemia: the effect of theophylline alone and in combination with adrenaline: *K. F. Whyte, C. Reid, G. J. Addis, R. Whitesmith & J. L. Reid*

579 Effect of bile on cyclosporin absorption in liver transplant patients: *M. U. Mehta, R. Venkataramanan, G. J. Burckart, R. J. Ptachcinski,*

B. Delamos, S. Stachak, D. H. Van Thiel, S. Iwatsuki & T. E. Starzl

585 Saliva and plasma concentrations of isoniazid and acetylisoniazid in man: *A. D. Hutchings, R. D. Monie, B. P. Spragg & P. A. Routledge*

591 Stereospecific assay of nicoumalone: application to pharmacokinetic studies in man: *T. S. Gill, K. J. Hopkins & M. Rowland*

Short reports

599 Effects of nifedipine, verapamil and diltiazem on renal function: *M. C. Chellingsworth & M. J. Kendall*

603 Factors affecting the clinical response to treatment with digoxin and two calcium antagonists in patients with atrial fibrillation: *R. V. Lewis & D. G. McDevitt*

607 Warfarin dosage requirements: prospective clinical trial of a method for prediction from the response to a single dose: *D. M. L. Jupe, G. M. Peterson, R. L. Coleman & S. McLean*

611 Effect of valpromide on the pharmacokinetics of carbamazepine-10,11-epoxide: *F. Pisani, A. Fazio, G. Oteri, E. Spina, E. Perucca & L. Bertilsson*

614 Effect of maximal hydration on the renal responses to pretreatment with nonsteroidal anti-inflammatory drugs and probenecid in man: *J. J. Dixey, F. H. Noormohamed, A. F. Lant & D. A. Brewerton*

Proceedings

619 Proceedings of the British Pharmacological Society (St Mary's Hospital Medical School, London, 6–8 January 1988)

Number 6, June 1988

Papers

683 Comparative study of the bronchodilating effects of (−)- and (+)-oxyphenonium bromide: *K. G. Feitsma, D. S. Postma, G. H. Koëter, G. D. Nossent, B. F. H. Brenth & R. A. de Zeeuw*

689 Sustained haemodynamic effects of felodipine in patients with chronic cardiac failure: *A. C. Tweddel, W. Martin, A. I. McGhie & I. Hutton*

695 Simplified approaches to the determination of antipyrine pharmacokinetic parameters: *J. M. Scavone, D. J. Greenblatt, G. T. Blyden, J. S. Harmatz & P. J. Graziano*

701 The pharmacokinetics of oral nifedipine—a population study: *A. G. Renwick, D. R. C. Robertson, B. Macklin, V. Challenor, D. G. Waller & C. F. George*

709 The influence of infusion rate on the pharmacokinetics and haemodynamic effects of nisoldipine in man: *J. van Harten, P. van Brummelen, R. R. E. C. M. Zeegers, M. Danhof & D. D. Breimer*

719 Lisinopril pharmacokinetics in chronic renal failure: *B. Jackson, R. B. Cubela, E. I. Conway & C. I. Johnston*

725 The effect of lithium on the renal response to the dopamine prodrug gludopa in normal man: *R. F. Jeffrey, T. M. Macdonald, J. Brown, P. W. H. Rae & M. R. Lee*

733 α_1-acid glycoprotein concentration and molecular heterogeneity: relationship to oxprenolol binding in serum from healthy volunteers and patients with lung carcinoma or cirrhosis: *N. F. Fraeyman, C. D. Dello & F. M. Belpaire*

741 Vasoactive responses of a human cystic artery: adrenoceptor characterization: *D. G. Wyse*

751 The effect of nisoldipine on whole blood platelet aggregation in patients with Raynaud's phenomenon: *J. L. Francis, O. S. Roath, V. F. Challenor & D. G. Waller*

Short reports

755 The effect of allopurinol on the steady-state pharmacokinetics of indomethacin: *T. Pullar, O. Myall, J. R. M. Haigh, J. R. Lowe, J. S. Dixon & H. A. Bird*

758 The effect of inhaled ouabain on bronchial reactivity to histamine in man: *A. J. Knox, A. E. Tattersfield & J. R. Britton*

761 Pharmacokinetics of intraperitoneal teicoplanin in patients with chronic renal failure on continuous ambulatory peritoneal dialysis: *M. Bonati, G. L. Traina, M. G. Gentile, G. Fellin, R. Rosina, L. Cavenaghi & G. Buniva*

766 Effects of diazepam and chlormethiazole on ventilatory control in normal subjects: *J. J. Gilmartin, P. A. Corris, T. N. Stone, D. Veale & G. J. Gibson*

771 Blocking of histamine-induced conjunctivitis by the oral antihistamine, astemizole: *T. C. Stokes & G. Feinberg*

Letters to the Editors

775 Stabilization of endothelial lining and decrease in circulating endothelial cells—one mechanism underlying the clinical action of PGE_1?: *H. Sinzinger, I. Virgolini, P. Fitscha, F. Rauscha & J. Kaliman*

776 The effect of atropine on heart-rate: a comparison between two ethnic groups: *E. C. Meyer, De K. Sommers, H. S. Schoeman & J. C. Avenant*

778 Is posture clinically important when monitoring theophylline therapy?: *C. R. Horn, F. Stirling, G. M. Cochrane & E. Essex*

779 The effect of antacid and metoclopramide on omeprazole absorption and disposition: *C. W. Howden & J. L. Reid*

781 Post marketing surveillance of captopril: *J. Marley*

782 Post marketing surveillance of captopril—a reply *D. Chalmers & D. H. Lawson*

Indexes

785 Author and subject indexes to Volume 25